



MITTO



MITTO H-QUALITY TBR



HiMITTO



2021.01.01

M and HL Series





PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
168	169	15	28.4	600	
368	169	16	28.6	600	



168



368

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
168	177	15	31.5	525	
368	177	16	31.9	525	



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
168	182	15	40.1	380	
388	182	16.5	40.5	380	



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
168	199	16.1	50.2	310	
388	199	18.5	52.5	310	
888	199	22	54.9	310	



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
118	219	16.5	57.9	275	
388	218	19.5	60.4	275	
888	218	24	63.8	275	



118



168



358



368



378



888

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
118	229	17	66.8	235	
168	228	16.1	66.6	235	
358	235	18	67.8	235	
368	235	18	67.8	235	
378	224	18	67.9	235	
888	226	25	72.3	235	



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
118	245	17.5	78.8	228	
168	240	16.1	79.7	228	
368	248	17.5	80.3	228	
378	235	21	83.0	228	
388	248	18.5	81.5	228	



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
888	240	25	87.5	228	
269	249	16	82.9	228	
569	248	18	84.5	228	
869	240	25	87.5	228	
999-20PR	255	25	94.4	228	NOT NOW



118



168



358



368



378



888

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG))	QTY (40HQ)	NOTES
118G	245	17.5	69.1	228	
168G	240	16.1	69.9	228	
358G	240	18	71.5	228	
368G	248	17.5	69.9	228	
378G	235	21	73.3	228	
888G	240	25	81.8	228	



M999



M008



M009S



M009R

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
M999	255	25	94	205	22PR
M008	255	25	94	205	22PR
M009S	255	27	94	205	22PR
M009R	255	27	94	2205	22PR



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT-TIRE ONLY(KG)	QTY (40HQ)	NOTES
118	230	16.5	77.0	180	
158	230	16.5	77.5	180	



126



716



776

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
126	219	14.5	55.0	275	
716	224	20	58.0	275	
776	224	21	59.0	275	



266



333



366



555



716



777



789

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
266	230	17	61.3	240	
333	230	17	60	240	
366	240	21.5	65.1	240	
555	235	16.5	59.5	240	
716	240	20	66.1	240	
777	243	18	67.9	240	
789	248	23	69.9	240	



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
369	255	18	82.0	210	
666	258	17	80.0	210	
676	258	17	80.0	210	



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
676	228	15	58.0	250	
716	237	20	59.0	250	
789	240	22	61.0	250	



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
166	260	17	67.0	238	
266	260	18	68.5	238	
756	263	22	71.3	238	
766	260	23	71.5	238	

I**315/80R22.5 M****MITTO**

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
M799	265	23	74	238	22PR

I**385/65R22.5 HL****MITTO**

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
566	295	15.8	69.3	190	

I

315/70R22.5 HL

MITTO

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
156	245	17	57.8	250	NOT NOW



176



776

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
176	208	15	57.8	250	NOT NOW
776	208	20	60.9	250	NOT NOW

I

285/75R24.5 HL

MITTO

176



776

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
176	219	15	56.4	248	NOT NOW
776	224	20	58.7	248	NOT NOW



176



776

PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
176	226	14.5	53.9	260	NOT NOW
776	226	20	56.7	260	NOT NOW

NL Series





PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
118	214	14	53.0	275	4付
505	214	14	53.0	275	4付



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
118	224	14	54	250	4付
505	224	14	54	250	4付



PATTERN	TREAD WIDTH(mm)	TREAD DEPTH(mm)	WEIGHT(KG)	QTY (40HQ)	NOTES
118G	240	15	57	238	10付
676G	240	15	57	238	10付



End of The Document

This file is for specific purpose, all products and projects shall be confirmed as the commercial contract